Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	29	allocat$3 near10 (portion or section) near10 static	USPAT	OR	OFF	2005/11/03 15:27
S2	58	allocat$3 near10 (portion or section) near10 static	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/02 17:16
S3	18	allocat$3 near10 (portion or section) near10 static with dynamic	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/03 15:29
S4	1177	(711/170).CCLS.	USPAT; USOCR	OR	OFF	2005/11/02 17:16
S5	1	S2 and S4	USPAT	OR	OFF	2005/11/02 17:16
S6	21544	(portion or section) near10 static	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/02 17:18
S7	20340	(portion or section) near10 dynamic	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/02 17:17
S8	2714	S6 and S7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/02 17:30
S9	2	S4 and S8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/02 17:17
S10	6	((portion or section) near10 static) same (main adj program)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/02 17:19

S11	10	((portion or section) near10 static) same (main near3 program)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/02 17:20
S12	4	((portion or section) near10 static) same (functional adj program$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/02 17:20
S13	393	((portion or section) near10 static) same (program$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/02 17:21
S14	88	S7 and S13	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/02 17:21
S15	29	S6 and S7 and MP3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/02 17:33
S16	76	static with (main near3 program)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/02 17:34
S17	36	(static with (main near3 program)) and (dynamic)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/02 17:35
S18	0	allocat$3 near10 static near10 overlay$3	USPAT	OR	OFF	2005/11/03 15:28
S19	516	allocat$3 with static with dynamic	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/03 15:29

S20	525	(allocat$3 or delegat$3) with static with dynamic	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/03 15:30
S21	31	((allocat$3 or delegat$3) with static with dynamic) with program$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/03 15:39
S22	35	(static near10 (main adj program))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/03 16:51
S23	2	(static near10 (foundation adj algorithm))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/03 17:04
S24	776	swap$4 near10 RAM	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/03 17:05
S25	4	S20 and S24	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/03 17:12
S26	4	(functional adj program$1) with static	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/03 17:14
S27	662	(functional adj program$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/03 17:14

| S28 | 10 | (functional adj program$1) same (allocat$3 or delegat$3) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/11/03 17:18 |

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	472	(allocat$3 near10 (static)) with dynamic	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/18 17:08
S2	0	(allocat$3 near10 (static)) with (dynamic) with overlay	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/18 17:09
S3	67	((static)) with (dynamic) with overlay	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/18 17:09